

# Sri Sresti Marketing Solutions

16-3-32/B, Kowtha Street, Purnanandampet, VIJAYAWADA - 520 003

Phone: (0091)92471 10759 / 90141 10759

Email: srestimarketing@gmail.com Skype : srestimarketing Website: www.srisms.com

[To purchase online please visit http://stores.ebay.in/solarenergyanddiabeticproducts](http://stores.ebay.in/solarenergyanddiabeticproducts)

Price List w.e.f 01-10-2013

## Home Lighting Systems

Model	Solar Panel	60 LED Strip	Price
KL127S Kit contains: Solar panel - 8w x 1 nos 60 LED light strips x 1 nos Battery - Exide - 12V 7Ah x 1 nos <b>With Dusk to Dawn Feature</b>	8W	1	<b>Rs.4500/-</b>  Including Door Delivery Charges



KL127DH Kit contains: Solar panel - 12w x 1 nos 60 LED light strips x 1 nos Battery - Exide - 12V 7Ah x 1 nos <b>With Dusk to Dawn Feature</b>	12W	1 BEST FOR EVERY PLACE	<b>Rs.5750/-</b>  Including Door Delivery Charges
---	-----	---------------------------------	---



## Compound Lighting Systems

KL127C1H Kit contains: Solar panel - 12w x 1 nos 60 LED light strips x 1 nos Battery - Exide - 12V 7Ah x 1 nos <b>With Dusk to Dawn Feature</b>	12W	1	<b>Rs.6000/-</b>  Including Door Delivery Charges
--	-----	---	---



## Solar Inverters Features

Efficiency >84% Short charging time. Long battery backup Zero drop solar charger 40Amp. Auto switchover between solar and main charging. Simultaneous charging through mains as well as solar panel.	12V input	<b>Pure Sine Wave</b> <b>800 VA</b> DSP Based HUPS <b>Rs. 7500/-</b>
---	-----------	---



Efficiency >84% Short charging time. Long battery backup Zero drop solar charger 40Amp. Auto switchover between solar and main charging. Simultaneous charging through mains as well as solar panel.	24V input	<b>Pure Sine Wave</b> <b>1500 VA</b> DSP Based HUPS <b>Rs. 13500/-</b>
---	-----------	---




All units come with Power Condition Unit

We can provide solar hybrid pure sine wave inverter from 800VA/1500VA/2500VA/3000VA

**SriSMSLead Acid Battery Pulsar**      **Rs.1000/-**

Srisms battery pulsar is designed to recondition / rejuvenate poor-functional battery or batteries which have lost their rated capacity



**Sri SMS Lead Acid Battery Charger 14.4V 6amps**      **Rs.1800/-**

Srisms battery charger is designed to charge battery which has lost their rated voltage or charge. This is useful for batteries in two wheeler and four wheeler vehicles, trucks, fork lift vehicles, inverter batteries, emergency vehicles, boats etc where ever there is regular charging of lead acid batteries. For LMF only.



**Sri SMS Lead Acid Battery Charger 14.4V 10amps**      **Rs.2250/-**

Srisms battery charger is designed to charge battery which has lost their rated voltage or charge. This is useful for batteries in two wheeler and four wheeler vehicles, trucks, fork lift vehicles, inverter batteries, emergency vehicles, boats etc where ever there is regular charging of lead acid batteries. For LMF only.



## Solar Lantern

- 18 LED Lantern Dual Charging AC and Solar
1. Light starts automatically when power goes off
  2. Four step dimmer for required lighting
  3. Mobile charging facility with Nokia pin **Rs.2000/-**
  4. Charging indicator
  5. Battery full indicator (on green)
  6. Battery low indicator (on red)
- Kit contains:  
Lantern  
4W solar panel. Ac adaptor. Nokia charging pin  
**Will be supplied without battery**



- 18 LED Shop Keepers Lantern Dual Charging AC and Solar
1. Light starts automatically when power goes off
  2. Four step dimmer for required lighting
  3. Mobile charging facility with Nokia pin **Rs.2000/-**
  4. Charging indicator
  5. Battery full indicator (on green)
  6. Battery low indicator (on red)
- Kit contains:  
Lantern  
4W solar panel. Ac adaptor. Nokia charging pin  
**Will be supplied without battery**



## Solar Panels / Modules Mono Crystalline / Poly Crystalline Solar Modules

Mono Crystalline / Poly Crystalline Solar Modules

**12V 4W**

- \* 12 Volts 4Wp
  - \* Voc 21.00 V
  - \* Vmp 17.00 V
  - \* Isc 300mA
  - \* Full power obtained at 23 degree south inclined noon-sun
  - \* Module dimensions 280 mm X 180 mm X 34 mm
  - \* Module weight 1500 grams (approx)
- Price Rs.1100/-**



Mono Crystalline / Poly Crystalline Solar Modules

**12V 8W**

- \* 12 Volts 8Wp
  - \* Voc 21.60 V
  - \* Vmp 16.4 V
  - \* Isc 625mA
  - \* Full power obtained at 23 degree south inclined noon-sun
  - \* Module dimensions 340 mm X 340 mm X 34 mm
  - \* Module weight 1800 grams (approx)
- Price Rs.2100/-**



Mono Crystalline / Poly Crystalline Solar Modules

12V 12W

- \* 12 Volts 12Wp
- \* Voc 21.60 V
- \* Vmp 16.4 V
- \* Isc 938mA
- \* Full power obtained at 23 degree south inclined noon-sun
- \* Module dimensions 340 mm X 340 mm X 34 mm
- \* Module weight 1600 grams (approx)

Price Rs.3100/-



Mono Crystalline / Poly Crystalline Solar Modules

12V 50W

- 50Wp 12Volts
- Voc 21.00 V
- Vmp 16.40 V
- Isc 4.00 A
- Efficiency: 16%
- Expected life: 25yrs
- Full power obtained at 23 degree south inclined noon-sun
- Module dimensions 775 mm X 655 mm X 34 mm
- Module weight 6.500Kg (approx)

Price Rs.6750/-



Mono Crystalline / Poly Crystalline Solar Modules

12V 100W

German PV cells

- 100Wp 12Volts
- Voc 21.60 V
- Vmp 16.40 V
- Isc 7.813
- Efficiency: 16%
- Expected life: 25yrs
- Full power obtained at 23 degree south inclined noon-sun
- Module dimensions 1205 mm X 655 mm X 34 mm
- Module weight 9.500Kg (approx)

Price Rs.12,500/-



12V 100W

Taiwan PV cells

- 100Wp 12Volts
- Voc 21.60 V
- Vmp 16.40 V
- Isc 7.813
- Efficiency: 16%
- Expected life: 25yrs
- Full power obtained at 23 degree south inclined noon-sun
- Module dimensions 1205 mm X 655 mm X 34 mm
- Module weight 9.500Kg (approx)

Price Rs.9,500/-



Solar Charge Controllers

- Input voltage 9 - 21V
- Output voltage 13.5 to 14V
- Input current Max 5Amps
- Type Analog PWM
- With Dusk to Dawn feature

Price Rs.1250/-





### Solar Charge controller 12V 10Amps

Input voltage 9 - 21V  
Output voltage 13.5 to 14V  
Input current Max 10Amps  
Type Microprocessor based PWM  
Low voltage & charging indicators and battery connecting wires.


**Price Rs.1800/-**



### Solar Charge controller 24V 10Amps

Input voltage 18 - 36V  
Output voltage 13.5 to 14V  
Input current Max 10Amps  
Type Microprocessor based PWM  
Low voltage & charging indicators and battery connecting wires.

**Price Rs.1800/-**



### Solar Charge controller 12V 40Amps

Input voltage 18 - 36V  
Output voltage 13.5 to 14V  
Input current Max 40Amps  
Type Microprocessor based PWM  
Low voltage & charging indicators and battery connecting wires.

**Price Rs.2000/-**



### Solar Super Charger 12V 40Amps

Convert your existing inverter system to solar system  
Solar Converter with Charge Controller  
& Power Condition Unit with 12Volt 40Amps  
Solar Prioritizer / Automator / Super charger  
12V 40Amps rating

**Price Rs.3400/-**



### Solar All in one 12V 80Amps

Convert your existing inverter system to solar system  
Solar Converter with Charge Controller  
& Power Condition Unit with 24Volt 40Amps  
Solar Prioritizer / Automator / Super charger  
12V 80Amps rating  
MCB & Digital display

**Price Rs.8500/-**



### Solar Charge controller 24V 40Amps

Input voltage 18 - 36V  
Output voltage 13.5 to 14V  
Input current Max410Amps  
Type Microprocessor based PWM  
Low voltage & charging indicators and battery connecting wires.

Price  
Rs.2500/-



### Solar Converter 24V 40Amps

Convert your existing inverter system to solar system  
Solar Converter with Charge Controller  
& Power Condition Unit with 24Volt 40Amps  
Solar Prioritizer / Automator / Super charger  
24V 40Amps rating

Price  
Rs.3750/-



### Solar All in one 24V 80Amps

Convert your existing inverter system to solar system  
Solar Converter with Charge Controller  
& Power Condition Unit with 24Volt 40Amps  
Solar Prioritizer / Automator / Super charger  
24V 80Amps rating  
MCB & Digital display

Price  
Rs.9000/-



### Solar Converter 48V 40Amps

Convert your existing inverter system to solar system  
Solar Converter with Charge Controller  
& Power Condition Unit with 48Volt 40Amps  
Solar Prioritizer / Automator / Super charger  
48V 40Amps rating

Price  
Rs.7250/-



### Solar All in one 48V 40Amps

Convert your existing inverter system to solar system  
Solar Converter with Charge Controller  
& Power Condition Unit with 48Volt 40Amps  
Solar Prioritizer / Automator / Super charger  
48V 40Amps rating  
MCB & Digital display

Price  
Rs.15500/-



### Solar Car battery charger

Solar panel is a 12V 12,000mW module. Rugged design.  
Mobile charger attachment  
Battery Pulsar  
3mts wire  
Battery clips

Price  
Rs.2500/-



### Voltage Booster from 12V to 19.5V


For DIY kits, laptop charging etc

Observe polarity. Laptop pins have to be arranged by yourself.

SMPS BASED

Price Rs.2000/-

Input from: 12V 7ah battery output 19.5V @ 2amps



### Multipurpose portable CFL UPS

with AC & DC outs

Wallmountable. All protections enabled

With Exide 12V 7Ah battery. Solar panel not included.

Rs.3000/-



Useful for charging mobiles, run CFL,

run DC fan and lights. Since its solar and grid compatible its a perfect gift for villages.

### Solar Energy Meter

Solar Energy meter to measure Volts, Amps & Kilowatthours  
Micro controller based to know your solar panel output  
12Volt 40Amps

Operating parameters:  
Voltage range: 10 - 56V DC  
Amp: Max 30amps

Price  
Rs.2500/-

Display show at par with the battery charge available

Other models:

1. 24V system 30amps (10 to 56V) - Rs.2500/-
2. 48V system 60Amps (20 to 55V) - Rs.4800/-
3. 120V system 50Amps ( 80 to 245V) - Rs.6000/-





### Solar Fan with Home Light & Night Light

Comes with 12Volt 20Watt rugged Indian make Solar Panel,  
10mts heavy duty cable / wire and 15Watts DC motor  
With 12V 7Ah Exide battery and power adaptor  
With battery protection

**Price**  
**Rs.7000/-**



### Mobile Chargers

Emergency Mobile charger

It works on one AA battery (normal or re-chargeable battery)  
Input voltage: DC 1.5V (typical)  
Output voltage: DC 5.4V + / - 0.1V  
Output current: Max 380mA  
Standby current: <1mA  
Conversion efficiency: >82%

**Rs.200/-**



### Solar Mobile charger

Solar panel is a 12V 4000mW module.  
Input voltage for adaptor: DC 5V to 19V (typical)  
Output voltage: DC 5.4V + / - 0.1V  
Output current: Max 600mA  
Conversion efficiency: >82%  
Comes with a five pin connector  
Panel cable is 3mtrs  
Connector cable is 1mtr  
Indicator shows the status of the output.


**Rs.1500/-**



### Solar Mobile charger

Solar panel is a 12V 12,000mW module. Rugged design.  
Input voltage for adaptor: DC 5V to 15V (typical)  
Output voltage: DC 5.4V + / - 0.1V  
Output current: Max 400mA  
Standby current: <1mA  
Conversion efficiency: >82%

**Price**  
**Rs.2500/-**



### Solar Tablet PC charger

Solar panel is a 12V 4000mW module.  
Input voltage for adaptor: DC 5V to 19V (typical)  
Output voltage: DC 5V + / - 0.1V  
Output current: Max 1000mA  
Conversion efficiency: >82%  
Panel cable is 3mtrs  
Connector cable is 1mtr  
Indicator shows the status of the output.

**Price**  
**Rs.2000/-**





### **Mosquito Cleaner / Killer / Zapper**

Penguin Model Mosquito Killer with Night lamp effect.  
Mosquito zapper with lamp & fan, safe, only 5W rated  
Attracts & kills mosquitos

**Price Rs.900/-**

Comes with blue lamp (also useful like an night lamp)  
and a suction fan.



### **Solar Kit with Mosquito Killer, CFL point, Exide battery 12V 15W solar module**

Comes with all protections. Home, Shops & Camping use

Kit contains:

1. A 12V 15W solar module with 8mts connecting wire

Solar Panel specifications:

Module with A Grade pv cells with 35mm heavy frame

2. Digital CFL inverter unit with Exide battery of 12V 7Ah

3. Penguin model Mosquito Killer / cleaner

**Rs.5500/-**



All prices are inclusive of taxes and handling charges. Goods once sold will not be accepted back or exchanged. Goods will be sent to the nearest station where all standard courier service is available. Any breakages or damages should be claimed with the handlers. Warranty terms are as per individual component specifications. Please ask for further details before ordering. Prices are subject to change without notice. Models and their specifications are constantly updated. Hence confirm for any details you need before dispatch. Subjected to Vijayawada jurisdiction. Terms and conditions apply.

Pictures depicted may change due to various factors. Pl ask for the latest updates / prices and then buy / order  
Product specifications might change. Cabinets may change.

All rights reserved. Some of the products are under Patent process / pending.

E.& O.E