Sri Sresti Marketing Solutions

16-3-32/B, Kowtha Street, Purnanandampet, VIJAYAWADA - 520 003

Phone: (0091)92471 10759

To purchase online please visit http://stores.ebay.in/solarenergyanddiabeticproducts

Price List w.e.f 19-07-2014

Home Lighting Systems

Model	Solar Panel	60 LED Strip	Price		
KL127S Kit contains:	8W	1	Rs.4500/-	0	
Solar panel - 8w x 1nos 60 LED light strips x 1 i			Including Door Delivary	KUM (P)	
Battery - Exide - 12V 7			Charges	WWW SRISMS COM (+91) 9247110759	

KL127DH Kit contains:	12W	1 BEST	Rs.6000/-
Solar panel - 12w x 1nos		FOR EVERY	Including
60 LED light strips x 1 no	S	PLACE	Door Delivary
Battery - Exide - 12V 7Ah x 1nos			Charges
With Dusk to Dawn Fe	ature		



Compound Lighting Systems

KL127C1H 12W
Kit contains:
Solar panel - 12w x 1nos
60 LED light strips x 1 nos
Battery - Exide - 12V 7Ah x 1nos
With Dusk to Dawn Feature



Including Door Delivary

Charges


Rs.6250/-



SriSMSLead Acid Battery Pulsar / Battery Life Enhancer

Srisms battery pulsar is designed to recondition / rejuvenate poor-functional battery or batteries which have lost their rated capacity


Rs.1000/-



SriSMSLead Acid Battery Pulsar / Battery Life Enhancer / Battery Life Saver with Digital Voltmeter

Srisms battery pulsar is designed to recondition / rejuvenate poor-functional battery or batteries which have lost their rated capacity

Rs.1750/-



Sri SMS Lead Acid Battery Charger 14.4V 10amps with digital meter

Srisms battery charger is designed to charge battery which has lost their rated voltage or charge. This is useful for batteries in two wheeler and four wheeler vehicles, trucks, fork lift vehicles, inverter batteries, emergency vehicles, boats etc where ever there is regular charging of lead acid batteries. For LMF only.

Digital battery voltage indicator in 19.99 display format

Rs.3250/-



Sri SMS Lead Acid Battery Charger 14.4V 10amps

Rs.2500/-

Srisms battery charger is designed to charge battery which has lost their rated voltage or charge. This is useful for batteries in two wheeler and four wheeler vehicles, trucks, fork lift vehicles, inverter batteries, emergency vehicles, boats etc where ever there is regular charging of lead acid batteries. For LMF only.



Sri SMS Lead Acid Battery Charger 28V 5amps

Rs.2750/-

Srisms battery charger is designed to charge battery which has lost their rated voltage or charge. This is useful for batteries in two wheeler and four wheeler vehicles, trucks, fork lift vehicles, inverter batteries, emergency vehicles, boats etc where ever there is regular charging of lead acid batteries. For LMF only.





48VDC to 24VDC 5Amps SMPS Buck Converter Rs.2500/-

Solar Car battery charger

Solar panel is a 12V 4000mW module. Rugged design.

Mobile charger attachment

Battery Pulsar

3mts wire

Rs.2500/
Battery clips

Solar Lantern

18 LED Lantern Dual Charging AC and Solar

- 1. Light starts automatically when power goes off
- 2. Four step dimmer for required lighting
- 3. Mobile charging facility with Nokia pin Rs.2000/-
- 4. Charging indicator
- 5. Battery full indicator (on green)
- 6. Battey low indicator (on red)

Kit contains:

Lantern

4W solar panel. Ac adaptor. Nokia charging pin

Will be supplied without battery

18 LED Shop Keepers Lantern Dual Charging AC and Solar

Rs.2000/-

- 1. Light starts automatically when power goes off
- Four step dimmer for required lighting
- 3. Mobile charging facility with Nokia pin
- 4. Charging indicator
- 5. Battery full indicator (on green)6. Battey low indicator (on red)

Kit contains:

Lantern

4W solar panel. Ac adaptor. Nokia charging pin

Will be supplied without battery

Solar Panels / Modules Mono Crystalline / Poly Crystalline Solar Modules

Mono Crystalline / Poly Crystalline Solar Modules 12V 4W

- * 12 Volts 4Wp
- * Voc 21.00 V
- * Vmp 17.00 V Price Rs.1100/-
- * Isc 300mA
- * Full power obtained at 23 degree south inclined noon-sun
- * Module dimensions 280 mm X 180 mm X 34 mm
- * Module weight 1500 grams (approx)











Mono Crystalline / Poly Crystalline Solar Modules 12V 8W

- * 12 Volts 8Wp
- * Voc 21.60 V Price Rs.2100/-
- * Vmp 16.4 V
- * Isc 625mA
- * Full power obtained at 23 degree south inclined noon-sun
- * Module dimensions 340 mm X 340 mm X 34 mm
- * Module weight 1800 grams (approx)

Mono Crystalline / Poly Crystalline Solar Modules 12V 12W

- * 12 Volts 12Wp
- * Voc 21.60 V
- * Vmp 16.4 V

Price Rs.2250/-

- * Isc 938mA
- * Full power obtained at 23 degree south inclined noon-sun
- * Module dimensions 340 mm X 340 mm X 34 mm
- * Module weight 1600 grams (approx)





Mono Crystalline / Poly Crystalline Solar Modules

12V 50W

50Wp 12Volts Voc 21.00 V

Price Rs.4000/-

Vmp 16.40 V lsc 4.00 A Efficiency: 16% Expected life: 25yrs

Full power obtained at 23 degree south inclined noon-sun

Module dimensions 775 mm X 655 mm X 34 mm

Module weght 6.500Kg (approx)

Mono Crystalline / Poly Crystalline Solar Modules



12V 100W

100Wp 12Volts Voc 21.60 V Vmp 16.40 V

Price Rs.7,500/-

lsc 7.813 Efficiency: 16% Expected life: 25yrs

Full power obtained at 23 degree south inclined noon-sun

Module dimensions 1205 mm X 655 mm X 34 mm

Module weght 9.500Kg (approx)



Solar Charge Controllers 12v 5amps

Input voltage 9 - 21V **Price**Output voltage 13.5 to 14V **Rs.1250/-**

Input current Max 5Amps
Type Analog PWM

With Dusk to Dawn feature



Solar Charge controller 12V 10Amps

Input voltage 9 - 21V **Price**Output voltage 13.5 to 14V **Rs.1800/-**

Input current Max 10Amps

Type Microprocessor based PWM

Low voltage & charging

indicators and battery connecting wires.



Solar Charge controller 24V 10Amps


Input voltage 18 - 36V **Price**Output voltage 13.5 to 14V **Rs.1800/-**

Input current Max 10Amps

Type Microprocessor based PWM

Low voltage & charging

indicators and battery connecting wires.



Solar Charge controller 12V 40Amps

Input voltage 18 - 36V **Price**Output voltage 13.5 to 14V **Rs.2000/-**

Input current Max410Amps

Type Microprocessor based PWM

Low voltage & charging

indicators and battery connecting wires.



AC socket for inverter Christetter AC socket for inverter Christetter AC socket for inverter Christetter Solar Charging Battery Hedium Battery Hedium AC plug AC plug AC plug Bottery Wires

Magic Solar Charger / Converter 12V 40Amps

Convert your existing inverter system to solar system
Solar Converter with Charge Controller
& Power Condition Unit with 12Volt 40Amps
Solar Prioritizer / Automator / Super charger
12V 40Amps rating

Price Rs.4500/-

Solar All in one 12V 40Amps

Convert your existing inverter system to solar system
Solar Converter with Charge Controller
& Power Condition Unit with 24Volt 40Amps
Solar Prioritizer / Automator / Super charger
12V 80Amps rating
Price
MCB & Digital display
Rs.12000/-





Solar Charge controller 24V 40Amps

Input voltage 18 - 36V **Price**Output voltage 13.5 to 14V **Rs.2500/-**Input current Max410Amps

Type Microprocessor based PWM

Low voltage & charging

indicators and battery connecting wires.



Solar All in one 24V 40Amps

MCB & Digital display

Convert your existing inverter system to solar system
Solar Converter with Charge Controller
& Power Condition Unit with 24Volt 40Amps
Solar Prioritizer / Automator / Super charger
24V 40Amps rating

Price

Solar All in one 24V 80Amps

Convert your existing inverter system to solar system
Solar Converter with Charge Controller
& Power Condition Unit with 24Volt 40Amps
Solar Prioritizer / Automator / Super charger
24V 80Amps rating
Price
MCB & Digital display

Rs.14000/-





Solar Converter 48V 40Amps

Convert your existing inverter system to solar system Solar Converter with Charge Controller & Power Condition Unit with 48Volt 40Amps Solar Prioritizer / Automator / Super charger 48V 40Amps rating Pr

Price Rs.7250/-

Rs.12500/-



Solar All in one 48V 40Amps

Convert your existing inverter system to solar system Solar Converter with Charge Controller & Power Condition Unit with 48Volt 40Amps



Solar Prioritizer / Automator / Super charger 48V 40Amps rating MCB & Digital display

Price Rs.15500/-



Voltage Booster from 12V to 19.5V

For DIY kits, laptop charging etc

Observe polarity. Laptop pins have to be arranged by yourself.

SMPS BASED

Price Rs.2000/-

9247 110 759 / 9014 110 759

Input from: 12V 7ah battery ouput 19.5V @ 2amps



Multipurpose portable CFL UPS with AC & DC outs

Wallmountable. All protections enabled


With Exide 12V 7Ah batery. Solar panel not included.

Rs.3000/-

run DC fan and lights. Since its solar and grid compatable its a perfect gift for villages.

Price

Rs.2500/-




Solar Energy Meter

Solar Energy meter to measure Volts, Amps & Kilowatthours Micro controller based to know your solar panel output 12Volt 40Amps

Operating parameters:

Voltage range: 10 - 56V DC Amp: Max 30amps





Display show at par with the battery charge available

Other models:

- 1. 24V system 30amps (10 to 56V) Rs.2500/-
- 2. 48V system 60Amps (20 to 55V) Rs.4800/-
- 3. 120V system 50Amps (80 to 245V) Rs.6000/-

Solar Fan with Home Light & Night Light

Comes with 12Volt 20Watt rugged Indian make Solar Panel, 10mts heavy duty cable / wire and 15Watts DC motor With 12V 7Ah Exide battery and power adaptor With battery protection

> Price Rs.7000/-



Mobile Chargers

Emergency Mobile charger

It works on one AA battery (normal or re-chargeable battery)

Input voltage: DC 1.5V (typical)

Output voltage: DC 5.4V + / - 0.1V Rs.200/-

Output current: Max 380mA Standby current: <1mA Conversion efficiency: >82%



Solar Mobile charger

Solar panel is a 12V 4000mW module.

Input voltage for adaptor: DC 5V to 19V (typical)

Output voltage: DC 5.4V + / - 0.1V

Output current: Max 600mA Conversion efficiency: >82%

onversion eniciency. >02 /0

Comes with a five pin connector

Panel cable is 3mtrs Connector cable is 1mtr

Indicator shows the status of the output.



Solar Mobile charger

Solar panel is a 12V 12,000mW module. Rugged design.

Input voltage for adaptor: DC 5V to 15V (typical)

Output voltage: DC 5.4V + / - 0.1V Price Output current: Max 400mA Rs.2500/-

Standby current: <1mA Conversion efficiency: >82%



Solar Tablet PC charger

Solar panel is a 12V 4000mW module.

Input voltage for adaptor: DC 5V to 19V (typical)

Output voltage: DC 5V + / - 0.1V Output current: Max 1000mA Conversion efficiency: >82% Panel cable is 3mtrs

Panel cable is 3mtrs
Connector cable is 1mtr

Indicator shows the status of the output.



Price Rs.2000/-

Digital Panel Meter @ 19.99 format for 12V inverter battery / hobby circuits etc

With reverse protection & switch. Powder coated cabinet

Now you can measure monitor the battery voltage constantly DIGITAL PANEL METER for 12Volts inverter battery Sri SMS Lead Acid Battery Meter / Hobby circuitsInput

Ø Input Voltage: maximum 19.99volts Rs.850/-

Ø Input Protection: Soft Start.

Ø EMI Compliance: Inbuilt RFI/EMI Filter Provided.

Ø Power Consumption: approx; 2Watts.



All prices are inclusive of taxes and handling charges. Goods once sold will not be accepted back or exchanged. Goods will be sent to the nearest station where all standard courier service is available. Any breakages or damages should be claimed with the handlers. Warranty terms are as per individual component specifications. Please ask for further details before ordering. Prices are subject to change without notice. Models and their specifications are constantly updated. Hence confirm for any details you need before dispatch. Subjected to Vijayawada jurisdiction. Terms and conditions apply.

Pictures depicted may change due to various factors. PI ask for the latest updates / prices and then buy / order Product specifications might change. Cabinets may change.

All rights reserved. Some of the products are under Patent process / pending.

E.& O.E